



 **EUROFLEX** S.p.A.  
SIDERURGIA FLESSIBILE

# Lamiere

## Lamiere piane, striate, bugnate

Larghezza commerciale  
da 1.000 a 2.000 mm (su  
richiesta larghezza intermedia)

### Spessori

0.5 mm - 6 mm

### Campi di applicazione

Edilizia  
Carpenteria  
Serre per agricoltura  
Scaffalature

## Lamiere grecate EGB 401

per coperture, pareti  
e controsoffitti.

### Spessori

da 0.5 mm a 0.8 mm

### Qualità

Zincata e preverniciata  
(testa di moro, rosso  
siena, bianco grigio  
ed altri colori su richiesta).

## Plates

Plane, Corrugated,  
Buckle

### Width

commercial from 1000  
to 2000 (upon request  
intermediate width)

### Thickness

0.5 mm - 6 mm

### Fields of application

Building Construction,  
General Carpentry,  
Greenhouses,  
Scaffolding.

### Sheets



Egb 401 Corrugated  
Plates For Cover, Wall,  
False Ceiling

### Thickness

from 0.5 mm to 0.8 mm

### Quality

Galvanized  
and pre-painted (dark  
brown, Siena red, grey  
white and other colors  
upon request).



# Plates

## NORME DI RIFERIMENTO

REFERENCE RULES

		NORMATIVE / RULES
QUALITÀ / MATERIALS	CALDO HOT ROLLED STEEL COILS	
	S185 S235JR/JR+M S275 S355 S430	EN 10025 EN 10029
	ZINCATO GALVANISED STEEL COILS	
	DX51D+Z S250 S280 S350GD+Z	EN 10346 EN 10346
	FREDDO COLD ROLLED STEEL COILS	
	DC01	EN 10130 EN 10131
	DECAPATO PICKLED STEEL COILS	
	DD11	EN 10111