



 **EUROFLEX** S.p.A.
SIDERURGIA FLESSIBILE

Profilati

Fornitura standard

Barre dalla lunghezza commerciale di 6.000 mm.

Fornitura flessibile

È possibile fornire il prodotto in dimensioni diverse, in base alle misure richieste. Possiamo, inoltre, forare ed asolare i profili.

Elenco prodotti

Profilati aperti ad U a lati uguali e disuguali, profilati aperti angolari, profilati aperti a C, profilati aperti Omega, profilati aperti a L, profilati aperti a Z.

Campi di applicazione

Edilizia
Carpenteria
Serre per agricoltura
Fotovoltaico
Scaffalature
Grigliato elettrofuso

Standard Supply

Standard size supply with bars of commercial length 6 mt.

Versatile Supply

It's possible to supply the product in several sizes, upon requests. It is also possible to drill and slot the profiles.

List of products

"U" Open Profiles Equal and Unequal Sides, Angular Open Profiles, "C" Open Profiles, "Ω" Open Profiles, "L" Open Profiles, "Z" Open Profiles.

Fields of application


Building Construction, General Carpentry, Greenhouses, Photovoltaic, Scaffolding, Electro-Fused Steel Grating Panel

Open Profiles



PROFILO A "C"
"C" OPEN PROFILE


| ALTEZZA HEIGHT (H) | | BASE BASE (B) | | ALETTE TABS (C) | | SPESSORE THICKNESS (T) | |
|-----------------------|--------|------------------|--------|--------------------|-------|---------------------------|------|
| MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX |
| 15 mm | 140 mm | 25 mm | 300 mm | 6 mm | 30 mm | 0.8 mm | 4 mm |



**PROFILO
A "C"**

"C"
OPEN
PROFILE

Modalità di applicazione fori ed asole
Way of application holes and eyelets





NORME DI RIFERIMENTO

REFERENCE RULES

| | | NORMATIVE / RULES |
|---------------------|---|----------------------|
| QUALITÀ / MATERIALS | CALDO HOT ROLLED STEEL COILS | |
| | S185 S235JR/JR+M S275 S355 S430 | EN 10025 EN 10162 |
| | ZINCATO GALVANISED STEEL COILS | |
| | DX51D+Z S250 S280 S350GD+Z | EN 10346 EN 10162 |
| | FREDDO COLD ROLLED STEEL COILS | |
| | DC01 | EN 10130 EN 10162 |
| | DECAPATO PICKLED STEEL COILS | |
| | DD11 | EN 10111 EN 10162 |